



ACAC Quality Indicator Repository Overview

Public Summary (Fourth Release)
Version 1.1.2, December 2025



Table of Contents

ACAC Quality Indicator Repository Overview	1
Acknowledgments	3
Section 1: Introduction to the Quality Indicator Repository	4
Section 2: Methods Used to Create the Quality Indicator Repository	5
2.1 Scoping Literature Reviews & Extracted QI Data	5
2.2 QI Repository Fields Added by the ACAC Team	8
2.3 QIs Identified by the PHARMA-Care Project	10
Section 3: Management of the QI Repository	12
References.....	13

Acknowledgments

We acknowledge the Australian Consortium for Aged Care (ACAC) Quality Measurement Toolbox (QMET) participating institutions: the Registry of Senior Australians Research Centre at the South Australian Health and Medical Research Institute and Flinders University, the Australian Institute of Health Innovation at Macquarie University, the Centre for Health Services Research at the University of Queensland, the Queensland University of Technology, the University of South Australia, Flinders University, the University of New South Wales and the Australian Dementia Network Registry. We also acknowledge the Australian Government Medical Research Future Fund (GNT 2015823) who provided us with support for this project.

Suggested citation for this document:

Australian Consortium for Aged Care (ACAC). ACAC Quality Indicator Repository Overview-Fourth Release (Version 1.1.2, December 2025). ACAC Coordinating Centre, South Australian Health and Medical Research Institute and Flinders University; Adelaide, South Australia, December 2025.

Suggested citation for the ACAC Quality Indicator Repository:

Australian Consortium for Aged Care (ACAC). ACAC Quality Indicator Repository. ACAC Coordinating Centre, South Australian Health and Medical Research Institute and Flinders University; Adelaide, South Australia, March 2025. DOI: [10.25451/flinders.28466660](https://doi.org/10.25451/flinders.28466660).

To access the ACAC Quality Indicator Repository visit:

<https://agedcareconsortium.com.au/quality-indicators>

Section 1: Introduction to the Quality Indicator Repository

The Australian Consortium for Aged Care Quality (ACAC) Quality Indicator Repository (the 'QI Repository') was publicly released in March 2025. This work was produced by a collaboration of researchers supported through an Australian Government Medical Research Future Fund grant (GNT 2015823; 2022-25). The purpose of this document is to describe the QI Repository development and guide the interpretation of information presented in the QI Repository.

The first release of the QI Repository (Version 1.0.0, March 2025) included **1,326 QIs** identified from scoping reviews of quality indicator programs focusing on older people's care in six care settings (i.e., aged care, palliative care, care transitions, dementia care, rural and remote care and rehabilitation care).

The second release of the QI Repository (Version 1.1.0, July 2025) included **6,422 QIs** identified from scoping reviews of quality indicator programs in eight care settings (i.e., the aforementioned settings plus primary and hospital care). This release also included 391 QIs identified through the Pharmacists Actioning Rational use of Medicines in Aged Care (PHARMA-Care) project.

The third release of the QI Repository (Version 1.1.1, November 2025) included information for a total **139 QIs** that have been determined to be endorsed by the ACAC. Specifically, the '*Australian Consortium for Aged Care Endorsed*' flag has now been populated in the QI Repository.

Further updates to the QI Repository content to include high-level qualitative descriptions of the perceived feasibility of the ACAC 'endorsed' QIs are planned for early 2026 and this document will be updated accordingly.

Section 2: Methods Used to Create the Quality Indicator Repository

2.1 Scoping Literature Reviews & Extracted QI Data

The QIs in the QI Repository were identified through a series of scoping literature reviews completed between 2022 to 2025 by the ACAC Research Team. The reviews identified and characterised QIs used to measure and evaluate the quality of care for older people across **eight key care settings** - this included aged care (inclusive of residential¹ and home care²) palliative care, care transitions³, dementia care, rural and remote care, rehabilitation care, primary care and hospital care.

An overarching protocol for the scoping reviews was published to describe our approach.⁴ Briefly, the reviews searched academic and grey literature sources relevant to each setting, published from 2012 and available in English to identify QIs and QI programs of interest. Setting-specific protocols were also registered prospectively on the Open Science Framework and the reviews were conducted in accordance with the Preferred Reporting Items for Systematic Review and Meta-Analysis Extension for Scoping Reviews (PRISMA-ScR).⁵ For protocol details see:

1. **Overarching protocol:** [Lathlean TJH, Inacio MC, Westbrook J, et al. Quality indicators to monitor the quality and safety of care for older people: a scoping review protocol. JBI Evid Synth. 2024;22\(9\):1857-65.](#)
2. **Aged care:** [Lathlean T, Caughey G, Inacio, M. Quality indicators of quality and safety of care for older people.](#)
3. **Palliative care:** [Lathlean T, Caughey G, Inacio, M. Identification and appraisal of quality indicators to monitor, evaluate and improve the quality of care for older people receiving palliative care.](#)
4. **Care transitions:** [Fernando R, Lathlean T, Caughey G, Inacio, M. Quality and safety indicators for care transitions by older people - a scoping review.](#)
5. **Dementia care:** [Lin X, Ward S, Lathlean T, Caughey G, Inacio M. A scoping review of quality indicators for dementia care.](#)
6. **Rural and remote care:** [Suen J, Fernando R, Inacio M, Caughey G, Crotty M. Identification of quality indicators used to monitor, evaluate and improve the quality of rural and remote care for older people: A Scoping Review Protocol.](#)
7. **Rehabilitation care:** [Suen J, Inacio M, Caughey G, Crotty M. Quality indicators to monitor, evaluate and improve the quality of rehabilitation care for older people: Scoping Review Protocol.](#)
8. **Primary care:** [Fernando R, Pulling B, Caughey G, Inacio M. Identification of indicators to monitor, evaluate and improve the quality and safety of primary care for older people.](#)

The protocol for the **hospital care** setting is under embargo until the scoping review is published (expected early 2026). This document will be updated accordingly when that occurs.

For published reviews see:

1. **Aged care:**

- **Residential:** [Caughey GE, Rahja M, Fernando R, Inacio MC. Quality Indicators to Monitor Care in Long-Term Care Facilities: A Scoping Review. Journal of the American Medical Directors Association. 2025; 26\(10\):105747.](#)
- **Home care:** [Caughey GE, Rahja M, Fernando R, Inacio MC. Quality Indicators to Monitor Home Care Services for the Older Population: A Scoping Review. Journal of the American Medical Directors Association. 2025; 26\(11\):105876.](#)

2. **Care transitions:** [Fernando RL, Inacio MC, Sluggett JK, Ward SA, Beattie E, Khadka J, Caughey, GE. Quality and Safety Indicators for Care Transitions by Older Adults: A Scoping Review. Journal of the American Medical Directors Association. 2025; 26\(3\):105424.](#)

3. **Rural and remote care:** Suen J, Fernando RL, Inacio MC, Crotty M, Lin X, Caughey GE. Identification of quality indicators used to monitor, evaluate and improve rural and remote care for older people: A scoping review. Australian Journal of Rural Health. Accepted August 2025.

The reviews for the remaining five care settings are still under review by journals and will be included here when they are published.

Our search strategy (**Table 1**) in the scoping reviews was to identify QIs used to monitor and evaluate care at a population-based level, that were publicly available, with evidence of routine use/implementation at the population level (e.g., national, state/territory, province or large care network programs) within the review timeframe (since 2012).

Table 1. Scoping Literature Review Search Strategy

Population	Concept	Context
Older people aged \geq 65 years old.	<p>QIs used to monitor and evaluate quality of care at the population level at least once since 2012. Specifically:</p> <ul style="list-style-type: none"> • Population-based standardised data collections • Routinely monitored/reported • Publicly available • English language 	<p>Eight care settings:</p> <ol style="list-style-type: none"> 1. Aged Care (including residential and home care) 2. Palliative Care 3. Rehabilitation Care 4. Dementia Care 5. Care Transitions 6. Care delivered in rural and remote areas 7. Primary Care 8. Hospital Care

Data on QIs were extracted from their original documentation, with minimal alterations (e.g., shortening at times) using a standardised data extraction template (**Table 2**). Elements about the QIs characteristics were inferred by the ACAC Research Team if not explicitly reported in the documentation identified. Identifying attributes that required judgement by researchers (e.g., quality dimension, domain classifications) were usually identified by the researcher extracting the data, reviewed by others and conflicts resolved through team discussions.

Table 2. Summary of the Standardised Data Extraction Template

QI Attributes	Fields
Identifying Attributes	<ul style="list-style-type: none"> • Care Setting • Country • Publishing Organisation • Type of Quality Indicator⁶ (i.e., structure, process, outcome) • Institute of Medicine (IOM) Quality Dimension • Domain Captured by Quality Indicator
Defining Attributes	<ul style="list-style-type: none"> • Definition • Numerator • Denominator • Exclusions • Use of Risk Adjustment • Risk Adjustments • Stratifications
Collection and Reporting Attributes	<ul style="list-style-type: none"> • Type of Data Collection • Data Collection Methods • Frequency of Data Collection • Frequency of Data Collection in Days • Reporting Methods • Reporting Frequency • Reporting Frequency in Days • Indicator Has Recommended Targets
Source and Reference Attributes	<ul style="list-style-type: none"> • Evidence Source • Technical Specifications • Link to Measurement Tools

2.2 QI Repository Fields Added by the ACAC Team

In addition to the information extracted through the scoping reviews (**Table 2**) the QI Repository includes three fields that were determined after the initial data extraction (**Table 3**).

Table 3. ACAC Repository Included Fields

QI Attributes	Fields
Source and Reference Attributes	<ul style="list-style-type: none"> • Quality Indicator Confirmed to be Part of a Program Used to Monitor Quality and Safety of Care Among Older People at a Population-Level between 2012-2022 • Assessed by the Australian Consortium for Aged Care Collaborators as Generally Containing Good Properties (Importance and Scientific Acceptability) • Australian Consortium for Aged Care Endorsed

The field '*Quality Indicator Confirmed to be Part of a Program Used to Monitor Quality and Safety of Care Among Older People at a Population-Level between 2012-2022*' indicates that the ACAC Research Team confirmed that the QI fit the scoping review criteria, which at times required discussion and confirmation. QIs identified in our search that are not still in use were still extracted for inclusion in the QI Repository for completeness.

The field '*Assessed by the Australian Consortium for Aged Care Collaborators as Generally Containing Good Properties (Importance and Scientific Acceptability)*' was added by the ACAC team, after it conducted an assessment of the QIs. The assessment of importance and scientific acceptability, as defined by the US National Quality Forum⁷ proposed definitions (NQF) (**Table 4**), was undertaken by the ACAC team (usually by groups of 5-7 researchers), and confirmed with a consumer advocate for QIs with sufficient information (i.e., not missing defining attributes). When the same QI was part of multiple programs, only one instance of the QI was reviewed by the ACAC team. If the QI was assessed as having generally good properties, then duplicate instances are also flagged in the repository.

The field '*Australian Consortium for Aged Care Endorsed*' was added by the ACAC team. This field was populated for QIs that met the research team's preliminary assessment of importance and scientific acceptability (already outlined above) and then subsequently assessed by invited clinical, lived experience and subject experts as part of a modified Delphi process. The experts included a range of Australian-based clinicians, researchers, policymakers and consumer representatives with experience in one or more of the eight care

settings. Using the NQF criteria described in **Table 4**, the QIs that met the ACAC endorsement criteria were those that satisfied the following:

- Mean importance score from the expert Delphi ratings ≥ 7
- Mean scientific acceptability score from the expert Delphi ratings ≥ 7
- Mean usability score from the expert Delphi ratings ≥ 5
- Consensus achieved on all three criteria (importance, scientific acceptability and usability) from the expert Delphi ratings.

Table 4. Summary of National Quality Forum QI Scoring Criteria

Criteria	Description
Importance	Is the concept important to measure? Is the measure evidence-based? Is there opportunity for improvement?
Scientific Acceptability	Is the measure precisely defined? Is it reliable? Does the measure demonstrate face validity, construct validity, and predictive validity? Is there systematic bias and can that bias be addressed with adjustment? Does it detect meaningful differences in performance?
Feasibility	Is the data collection and implementation feasible? Is there data that is readily available? Can the data be collected with minimal burden?
Usability	Is the measure meaningful, understandable and useful to a range of audiences? Can the measure progress improvement in quality of care i.e., inform practice change and/or quality improvement?

An academic publication to describe the assessment and endorsement process is underway and will likely be made available in 2026. A summary of the QI Repository content at the time of this release (December 2025) is outlined in **Table 5**.

2.3 QIs Identified by the PHARMA-Care Project

The QI repository includes 391 additional QIs identified by researchers in a separate but related project. The [Pharmacists Actioning Rational use of Medicines in Aged Care \(PHARMA-Care\)](#) project. This project aims to develop, implement, cost and disseminate a quality indicator framework to support credentialed pharmacists who work in and with aged care homes to improve medicines use and health outcomes for residents.⁸ This is a pharmacist-led, multidisciplinary project supported through the Australian Government Medical Research Future Fund (GNT MRFMMIP000019; 2023-27).

In a literature review undertaken for this project, researchers identified 442 QIs, of which 391 were not identified in prior ACAC literature reviews. The subset of QIs identified by the PHARMA-Care researchers and their attributes were consolidated to align with the information included in the ACAC repository. These QIs are presented in the '*Identified by PHARMA-Care*' field included in the repository. For more information on this literature review see:

- **Protocol:** <https://www.crd.york.ac.uk/PROSPERO/view/CRD42023442537>
- **Publication:** [Gutteridge DS, Calder AH, Stasinopoulos J, et al. Quality indicators for safe and effective use of medications in long-term care settings: A systematic review. Br J Clin Pharmacol. 2025; 91\(11\), 3054–3069.](#)

Table 5. Summary of QI Repository (Version 1.1.2) Content Up to December 2025, Overall and by Care Setting

Steps	Criteria	Included in QI Repository	Residential Aged Care	Home Care	Care Transitions	Palliative Care	Rehabilitati-on Care	Dementia Care	Rural and Remote Care	Hospital Care	Primary Care
1: Scoping Review of International QI Programs	Identified	6,422	645	362	750	476	797	720	105	920	1,647
2: International QI Programs Meeting ACAC Inclusion Criteria	Specifically enforced criteria of: (1) population-based standardised data collection; (2) routinely monitored/reported; (3) publicly available; (4) English language.	3,779	327	226	395	133	157	62	53	920	1,506
3: Assessed and flagged by the Australian Consortium for Aged Care Collaborators as Generally Containing Good Properties (Importance and Scientific Acceptability)	Domain ranking based on the average importance of QIs within. QI ranking based on scientific acceptability scores. If QI had a scientific acceptability score <7 (less than high) it is not shown here.	556*	68	60	55	64	30	51	34	90	104
4: ACAC endorsed QIs	Expert panel assessments (consensus achieved on importance, scientific acceptability and usability).	139**	13	3	13	2	13	8	8	51	28

ACAC: Australian Consortium for Aged Care. QI: Quality Indicator.

* Includes 467 unique QIs assessed by ACAC collaborators and 89 duplicates of assessed QIs

** Includes 109 unique QIs appraised by expert panels and 30 duplicates of appraised QIs

Section 3: Management of the QI Repository

The third QI Repository release included QIs identified from eight care settings, as well as details about the QIs that satisfied the ACAC endorsement criteria as generally containing good properties and reaching expert consensus. Subsequent content updates are planned for implementation in early 2026 to include qualitative descriptions of the perceived feasibility of the ACAC 'endorsed' QIs, based on data from a convenience sample of Australian-based experts.

Individuals seeking to provide feedback about the QI Repository can contact the ACAC Coordinating Centre via email (ROSA@SAHMRI.COM).

References

1. Caughey GE, Rahja M, Fernando R, et al. Quality Indicators to Monitor Care in Long-Term Care Facilities: A Scoping Review. *J Am Med Dir Assoc.* 2025;26(10):105747.
2. Caughey GE, Rahja M, Harrison S, et al. Quality Indicators to Monitor Home Care Services for the Older Population: A Scoping Review. *Journal of the American Medical Directors Association.* 2025.
3. Fernando RL, Inacio MC, Sluggett JK, et al. Quality and Safety Indicators for Care Transitions by Older Adults: A Scoping Review. *J Am Med Dir Assoc.* 2025;26(3):105424.
4. Lathlean TJH, Inacio MC, Westbrook J, et al. Quality indicators to monitor the quality and safety of care for older people: a scoping review protocol. *JBI Evid Synth.* 2024;22(9):1857-65.
5. Tricco AC, Lillie E, Zarin W, et al. PRISMA Extension for Scoping Reviews (PRISMA-ScR): Checklist and Explanation. *Ann Intern Med.* 2018;169(7):467-73.
6. Donabedian A. The quality of care. How can it be assessed? *Jama.* 1988;260(12):1743-8.
7. National Quality Forum. Measure Evaluation Criteria and Guidance for Evaluating Measures for Endorsement. 2021. Available at https://web.archive.org/web/20230106162608/https://www.qualityforum.org/Measuring_Performance/Submitting_Standards/2021_Measure_Evaluation_Criteria_and_Guidance.aspx [accessed 30 January 2025].
8. University of South Australia. Establishing the Pharmacists Actioning Rational use of Medicines in Aged Care (PHARMA-Care) quality monitoring program in aged care homes. 2025. Available at <https://unisa.edu.au/research/arena/research-projects/establishing-the-pharmacists-actioning-rational-use-of-medicines-in-aged-care-pharma-care-quality-monitoring-program-in-aged-care-homes/> [accessed 15 July 2025].